



TYPE: Electric
DIMENSIONS 7" x 1 ½"
CAPACITY 2,000 lbs
WHEEL SIZE 10", 12", and 13"
MOUNTING 4 bolt



TYPE: Electric
DIMENSIONS 10" x 2½"
CAPACITY 3,500 lbs
WHEEL SIZE 13", 14", and 15"
MOUNTING 4 bolt



TYPE: Electric
DIMENSIONS 12" x 2"
CAPACITY 5,200 - 7,000 lbs
WHEEL SIZE 14-1/2", 15", 16",

and 16-1/2" MOUNTING 5 bolt

TYPE: Electric
DIMENSIONS 10" x 2%" with parking
CAPACITY 3.500 lbs

WHEEL SIZE 13", 14", and 15"
MOUNTING 4 bolt



TYPE: Electric

DIMENSIONS 12" x 2" with parking
CAPACITY 6,000 lbs
WHEEL SIZE 14-1/2", 15", 16"
MOUNTING 5 bolt



TYPE: Electric

MOUNTING 4 bolt

DIMENSIONS 10" x 2¼" riveted CAPACITY 3,500 lbs
WHEEL SIZE 13", 14", and 15"

TYPE: Electric

DIMENSIONS 12" x 2" riveted CAPACITY 5,200 - 7,000 lbs WHEEL SIZE 14-1/2", 15", 16", and 16-1/2"

and 16-1 MOUNTING 5 bolt THE STATE OF THE S

TYPE: Electric

DIMENSIONS 10" x 2½" Australia market
CAPACITY 3,500 lbs
WHEEL SIZE 13", 14", and 15"

MOUNTING 4 bolt



TYPE: Electric

DIMENSIONS 10" x 2¼" self-adjusting
CAPACITY 3,500 lbs
WHEEL SIZE 13", 14", and 15"

MOUNTING 4 bolt

TYPE: Electric

DIMENSIONS 12" x 2" self-adjusting
CAPACITY 5,200 - 7,000 lbs
WHEEL SIZE 14-1/2", 15", 16",
and 16-1/2"

MOUNTING 5 bolt



TYPE: Electric DIMENSIONS 121/4" x 21/4" CAPACITY 7.200 lbs WHEEL SIZE 16" or larger MOUNTING 4 bolt



TYPE: Electric

DIMENSIONS 121/2" x 31/2" self-adjusting CAPACITY 9,000 - 12,000 lbs WHEEL SIZE 15" or larger MOUNTING 6 hole 5 bolt



TYPE: Electric

DIMENSIONS 121/4" x 33/8" self-adjusting 8.000 - 9.000 lbs CAPACITY WHEEL SIZE 16" or larger MOUNTING 4 bolt



TYPE: Electric

DIMENSIONS 121/4" x 33/8" self-adjusting 10.000 lbs CAPACITY WHEEL SIZE 16" or larger MOUNTING 5 bolt



TYPE: Flectric

DIMENSIONS 121/4" x 33/8" self-adjusting 9.00 - 10.000 lbs CAPACITY WHEFI SIZE 16" or larger

MOUNTING 7 bolt



TYPE: Electric

DIMENSIONS 12¼" x 4" self-adjusting 10,000 lbs CAPACITY WHEEL SIZE 16" or larger

MOUNTING 7 bolt



TYPE: Electric

DIMENSIONS 121/2" x 5" self-adjusting

CAPACITY 12,000 lbs WHEEL SIZE 16" or larger MOUNTING 7 bolt



TYPE: Electric

DIMENSIONS 12" x 2" mobile home 4500 - 6000 lbs CAPACITY

NOTE: Be welded directly to the axle



TYPF: Mechanical

DIMENSIONS 9"x 1 3/4" CAPACITY 1450 kgs WHEEL SIZE 14".16"

MOUNTING 4 bolt



TYPE: Mechanical

DIMENSIONS 250mm (10") CAPACITY 1550 kgs MOUNTING 4 bolt



TYPE: Hydraulic DIMENSIONS 9" CAPACITY 3.000 lbs WHEEL SIZE 14".16" MOUNTING 4 bolt



TYPE: Hydraulic DIMENSIONS 9" riveted CAPACITY 3.000 lbs WHEEL SIZE 14".16" MOUNTING 4 bolt



TYPE: Hydraulic DIMENSIONS 10 x 2½" uni Servo CAPACITY 3.500 lbs WHEEL SIZE 13", 14", and 15" MOUNTING 4 bolt



TYPE: Hydraulic DIMENSIONS 12 x 2" uni Servo CAPACITY 5.200 lbs WHEEL SIZE 14-1/2", 15", 16", and 16-1/2" MOUNTING 5 bolt



TYPE: Hydraulic DIMENSIONS 10 x 21/4" free backing CAPACITY 3.500 lbs WHEEL SIZE 13", 14", and 15" MOUNTING 4 bolt



TYPE: Hvdraulic DIMENSIONS 12 x 2" free backing CAPACITY 5.200 lbs WHEEL SIZE 14-1/2", 15", 16", and 16-1/2" MOUNTING 5 bolt



TYPE: Hydraulic DIMENSIONS 10 x 21/4" uni Servo Dacromet

3.500 lbs CAPACITY 13", 14", and 15" WHEEL SIZE MOUNTING 4 holt



TYPE: Hydraulic DIMENSIONS 12 x 2" uni Servo Dacromet CAPACITY 5.200 lbs WHEEL SIZE 14-1/2", 15", 16", and 16-1/2"

TYPE: Hydraulic

DIMENSIONS 10 x 2½" free backing

Dacromet CAPACITY 3.500 lbs WHEEL SIZE 13", 14", and 15" MOUNTING 4 bolt



TYPE: Hydraulic

MOUNTING 5 bolt

DIMENSIONS 12 x 2" free backing Dacromet CAPACITY 5.200 lbs WHEEL SIZE 14-1/2", 15", 16", and 16-1/2"

MOUNTING 5 holt